

# **DFFABCR**





**Product Family** Dishwashers Commercial width 60 cm Commercial height 85 cm

Installation Free-standing N° baskets 3, FlexiDuo Motor Inverter 2.0 **EAN** code 8017709307875



# **Programs**























N. of programmes 10 + 1Washing temperatures 38, 45, 50, 55, 65, 70, 75 °C Soak Express 27' Yes Crystal Yes Full express - 60 Yes minutes

**ECO** Yes

Auto sensor 45-65 Yes Yes Quiet (-2 dB) Yes Intense Yes Self clean

Yes Hygiene 99,9% Yes

# **Options**









Dry Assist+ option **Delay timer option**  Yes Up to 9 hours 1/2 load FlexiZone

Yes

option

Special programs option Yes

## **Baskets**





**Basket colour** 

**Basket components** colour

Handle

Grey

Grey

lower basket

In plastic on upper and

Largest loadable dish in 19,0 cm

upper basket

With 4 foldable racks Lower Basket

Lower basket with anti- Yes

drip inserts



Upper Basket

Glass holder

Height adjustment of the upper basket Upper basket with EasyGlide System With 3 foldable racks

Yes

On three levels (5 cm)

Yes

Largest loadable dish in 30,0 cm

lower basket

Colour InnerCup shelfes, Handle, AntiComponentsdrop inserts, Cutlery basket:

same colour of Dishwasher

Cutlery basket Yes

## **Technical Features**







 Width (mm)
 598 mm

 Depth (mm)
 627 mm

Display type LED display (1 digit)

Product Height (mm) 885 mm

Controls Electronic

Display Delayed start

Programme graphics Symbols and label

On/off indicator Yes
Salt light indicator Light
Rinse aid indicator Light

End of cycle indicator Acoustic signal
Washing system Planetarium
Third spray arm Single

Water softener

598 mm Turbidity sensor

Aquatest

Flood protection system Total

Water supply

Total Acquastop

Yes

Single; cold/hot water max. 60°C - energysave with hot

water up to 35%

Max water hardness

Drying system

100°fH;58°dH

Natural condenser drying, with Dry Assist + automatic door opening system at the

end of the cycle Stainless steel

Filter Stainless steel
Concealed heatina Yes

Concealed heating element

Tub material

element Hinges

Self balancing with fixed

hinges

Adjustable feet Just for levelling

Back cover Yes
Depth of dishwasher 1171
with open door (mm)

Top cover

In plastic

4:25 h:min

45 dB(A) re 1 pW

# Performance / Energy Label - Reg. 2019

13

(G) UK e Singapore

With electronic setting









Energy Efficiency Class B
Energy consumption 63 KWh

[per 100 cycles, based on the eco programme] Rated capacity (ps)

Water consumption [per 9.0 litres

cycle]

Programme duration

Airborne acoustical noise emissions

Airborne acoustical noise emission class

Energy effici

Energy efficiency Index 3

37.9

С

## **Electrical Connection**


Plug Connected power

Connected power 1800 W
Current 13 A
Voltage 220-240 V

Frequency (Hz)
Type of connection
Power supply cable
length

50 Hz Single-phase 140 cm







# **Compatible Accessories**

### KITGH

Kit glass holder. It has to be fitted on the first basket but only if there are foldable

# annunun |

**KITINC** 

## KITPLV2



Kit extension for dishwasher and washing machine: lenght mt. 2



# Alternative products



DFFABBL

Colour: Black



# Symbols glossary



The Aquatest sensor is an electronic sensor that measures the degree of water transparency at the end of the initial soaking phase. ased on the values measured, the sensor sets the most suitable programme, thus obtaining the best washing results with the minimum amount of water.



To improve the drying of dishes without leaving stains.



Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time.



EasyGlide: Convenient EasyGlide system for easy unloading of the appliance that allows reaching maximum flexibility of load of the machine.



FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



The Planetarium washing system, with high rotations per minute, guarantees complete coverage of the tank, thanks to the simultaneous rotation of base and sprayers, and excellent washing results.



Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Mix: The Mix programme is suitable for mixed crockery and everyday pots and pans, without any particular incrustation.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Express 27': The Express 27' programme is a quick wash cycle, at low temperatures, for lightly soiled dishes.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



13 place settings: Number of place settings.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



Quick wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. Dishes are washed and dried in 60 minutes.



Dishwasher cleaning cycle. The cycle should be started with the machine empty, without dishes. It is recommended to run the program every 2-3 months, using special dishwasher detergents.





SILENT: Wash cycle suitable for normally soiled dishes, even with dried-on residues. Ensures maximum noise reduction and is therefore ideal if you wish to run it during the night.



Allows you to enable additional programs when selected together with any wash cycle. After having selected the required wash cycle, press the button (



The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the washing cycle.



Energy efficiency class B



HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria.



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.



# Benefit (TT)

#### FlexiDuo

The flexible third basket provides additional space, adapting to the load to accommodate various types of dishes, ensuring optimal organization and efficient use of interior capacity

The third FlexiDuo basket consists of two separate sections that can be handled independently of each other, stacked and/or removed, offering loading flexibility for every need. Depending on the arrangement, it allows cups, tall glasses, bulky utensils and pots and pans to be placed in the upper basket.

### Planetarium Wash System

Full and deep wash coverage thanks to the advanced movement of the spray arm, an innovation patented by Smeg

Smeg's patented Planetarium Wash System guarantees impeccable cleaning. With a simultaneous double movement of the sprayer and 65 rotations per minute, it reaches every nook and cranny for extraordinary results. Dishes, glasses and utensils will be perfectly clean in no time. An intelligent system where efficiency and style meet, delivering brilliant results effortlessly.

### DryAssist+

The Dry Assist+ system of automatic door opening at the end of the cycle ensures fast and energy-efficient drying